

FEB 12,2007

## QUOTE

Page 1 of 10 TOSS0007

Project: Tossed - Decatur GA The Artisan, Suite A 201 West Ponce De Leon Ave, Decatur, GA 30030-0000

From:

Tony Austing
N. Wasserstrom & Sons, Inc. - OH
2300 Lockbourne Road
Columbus, OH 43207
(614) 737-8681 Fax: (614) 737-8501

To:

Robert W. Russell Tossed - Decatur GA 1750 Shiloh Rd. N.W. #604 Kennesaw, GA 30144 (954) 828-1963 Fax: (954) 332-2365

Item	Qty	Description	Sell Each	Sell Total
3.0	1	REAR SERVICE COUNTER  N. Wasserstrom & Sons Model No. D561430100N  NWS Custom, 300' x 32" to run along back line. Includes opening for rolling undercounter refrigeration, smoothie station with ice bin, soup station with hot well, section for carry-out items, s/s doors to enclose front sections where noted.  Includes:  Drop in Soup well  Drop-in Cold Well  Custom Built Ice Bin  Water station/Glass filler  2 Dump/Hand sinks  Trash chute  Trash recepticle supplied by smallwares	7,446.00	7,446.00
7.0	1 ea	REFRIGUNDERCOUNTER True Food Service Equipment, Inc Model No. TUC-48-ADA Undercounter Refrigerator, 32-38° F, 12 cu. ft., (4) shelves, 300 series s/s top & sides, white alum. interior w/300 series s/s floor, (2) s/s doors, 3" castors, front breathing, 1/5 HP, 115/60/1, 34" working height	1,564.54	1,564.54
	1	Warranty - 5 year compressor (self-contained only)		
	1	Warranty - 1 year parts and labor		
9.0	2 ea	SHELF, WALL-MOUNTED  N. Wasserstrom & Sons Model No. D561450100N  Shelf, wall-mounted, stainless steel, 18" wide, 132" long	380.00	760.00
		These are the s/s shelving section that run over the rear service counter, rear sandwich prep and crepe station.		

5- year parts & 3- year labor warranty on compressor

Item	Qty	Description	Sell Each	Sell Total
	1 1 ea	115v/60/1ph, std.  AR-10000 Arctic Pure® Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge, 14,000 gal. capacity, 0-600 lbs./ice per day		
	1 cs	K-00338 Replacement Water Filter Cartridge, for AR-10000 filter, per case of 12		
18.0	1 ea	REFRIG REACH-IN True Food Service Equipment, Inc Model No. T-23 Refrigerator, Reach-in, One-Section, 23 cu. ft., (3) shelves, ext'r: 300 series s/s front, alum. ends, int'r: white alum. w/300 series s/s floor, (1) s/s hinged door w/lock, dial thermo., 4" castors, 1/3 HP, 115/60/1	1,994.53	1,994.53
	1	Warranty - 5 year compressor (self-contained only)		
	1	Warranty - 1 year parts and labor		
	1	871729 Full door bun tray rack, each		
	1	Door hinged right standard		
19.0	1 ea	a WORK TABLE, CUSTOM N. Wasserstrom & Sons Model No. CUSTOM Work Table, 30 x 36" x 36"H, with tray slides, casters	627.00	627.00
19.1	1 ea	a SHELVING, WIRE Eagle Group Model No. 1836V Valu-Master™ Wire Shelving, 18"W x 36"L, pewter gray epoxy finish	49.60	49.60
	2 ea	a WB18-C Wall Bracket, stationary, end unit, chrome for 18" shelf		
22.0	1 ea	A COMBI OVEN, ELECTRIC, FULL SIZE Alto-Shaam Inc. Model No. 7-14I/DLX Oven/Steamer Combination, electric, w/pressureless convection steamer mode, programmable menu, probe, low temp steam & retherm, countertop model, cap. (14)12"x20" pans, s/s const. w/tempered glass window, door hinged right	17,558.07	17,558.07
	3 ea	a SH-22584 Shelves, for 10-18W CombiMate warmer; 7-14 or 10-10 or 10-18 Combitherm ovens; QC-40 QuickChill, stainless steel wire		
	1 ea	a 14977 Stationary Oven Stand, 37" high with shelf for models 7-14, 10-18, stainless steel		
	1 ea	a 5000367 Ventless Hood, factory installed only		
	1	208-240v/50/60/3, 14.3kw/18.8kw, 40.5/46.0amps std.		
	1	208-240v/50-60/1-ph, 1.0amps, 240 watts		
	1	FI-23014 CombiGuard™ Triple-Guard Water Filtration System, temperature range 35°F to 100°F, 3/4" NPT, for all gas & electric models (includes 1 filter cartridge)		
	1	FI-26356 Replacement Filter, for CombiGuard™ ovens/steamers		
23.0	4 ea	a SHELVING, WIRE Eagle Group Model No. 2472V Valu-Master™ Wire Shelving, 24"W x 72"L, pewter gray epoxy finish	49.28	197.12
	4 ea	a P74-V Valu-Master™ Post, 74"H, adj. foot, pewter gray epoxy finish (stationary application)		

FEB 12,2007		Tossed - Decatur GA	F	Page 4 of 10 TOSS0007
Item	Qty	Description	Sell Each	Sell Total
23.0a	4 ea	SHELVING, WIRE Eagle Group Model No. 1860V Valu-Master™ Wire Shelving, 18"W x 60"L, pewter gray epoxy finish	36.21	144.84
	4 ea	P74-V Valu-Master™ Post, 74"H, adj. foot, pewter gray epoxy finish (stationary application)		
23.0b	4 ea	SHELVING, WIRE Eagle Group Model No. 1872V Valu-Master™ Wire Shelving, 18"W x 72"L, pewter gray epoxy finish	40.26	161.04
	4 ea	P74-V Valu-Master™ Post, 74"H, adj. foot, pewter gray epoxy finish (stationary application)		
23.0c	4 ea	SHELVING, WIRE Eagle Group Model No. 2430V Valu-Master™ Wire Shelving, 24"W x 30"L, pewter gray epoxy finish	29.44	117.76
	4 ea	P74-V Valu-Master™ Post, 74"H, adj. foot, pewter gray epoxy finish (stationary application)		
23.0d	4 ea	SHELVING, WIRE Eagle Group Model No. 2430V Valu-Master™ Wire Shelving, 24"W x 30"L, pewter gray epoxy finish	29.44	117.76
	4 ea	P74-V Valu-Master™ Post, 74"H, adj. foot, pewter gray epoxy finish (stationary application)		
24.0	1 ea	DISHTABLE, SOILED  N. Wasserstrom & Sons Model No. D561390100N  Straight-Soil Dishtable, left-to-right, splash, with prerinse sink, stainless steel legs, with crossrails,	730.00	730.00
	1	SPECIFY DISH MACHINE BRAND AND MODEL to ensure proper fit, refer to attached document (AQNet only) or consult www.advancetabco.com for compatibility listing		
25.0	1 ea	PRE-RINSE UNIT T & S Brass Model No. B-0133-B EasyInstall Pre-Rinse Unit, wall mnt. base faucet w/spring check cart. & lever handles, 2" dia. flanges w/1/2" NPT female eccentric flanged inlets, 35-1/2"H, 15" overhang, 8-1/4" clear, 18" riser, B-0107 spray valve, B-0044-H flex s/s hose, 6" wall brkt	209.66	209.66
26.0	1 ea	DISHWASHER, DOOR TYPE BY OTHERS Model No. VARIOUS Dishwasher, door type, 25-3/4" W, low temp. chemical sanitizing		
27.0	1 ea	DISHTABLE, CLEAN  N. Wasserstrom & Sons Model No. D561400100N  Straight-Clean Dishtable, left-to-right, w/ backsplash, rolled front & side rims, stainless steel legs, with crossrails,	315.00	315.00
	1	SPECIFY DISH MACHINE BRAND AND MODEL to ensure proper fit,		

refer to attached document (AQNet only) or consult www.advancetabco.com for compatibility listing

FEB 12,2007			Tossed - Decatur GA	P	age 5 of 10 TOSS0007
Item	Qty		Description	Sell Each	Sell Total
28.0	1	ea	WORKTABLE Quadra-Tech Model No. WT3048 Worktable, 30x48 , Stainless steel top, Galv. undershelf, no backslpash, Galv legs, Casters (2 w/ brake)	289.42	289.42
29.0	1	ea	DOUBLE PREP SINK N. Wasserstrom & Sons Model No. D561010100N Work Table w/Right & Left End sinks Sink, 120" x 30" long, 5" splash at rear only,2 EA 24" x 24" x 14" dp sink bowls, deck mounted faucet, rolled edge on front & square edges on sides, s/s frame & adj. undershelf, 16 gauge, type 304 stainless steel top, s/s bullet feet	1,553.16	1,553.16
	2	ea	T&S B-0231 Sink Mixing Faucet, with 12" swing nozzle, wall mounted, 8" centers on sink faucet with 1/2" IPS eccentric flanged female inlets, lever handles		
30.0	1		3 COMPARTMENT SINK N. Wasserstrom & Sons Model No. D544330200N Sink, 3 compartment, Fabricated, 100" x 27" OA, 3 compartment, 18" approx right & left drainboards, bowl size 19" x 20" x 12" deep, 3 ea Twist Handle Waste drain, 2".16/300 series s/s, rolled edge, faucet holes on 8" centers, s/s legs, 1" adj. s/s bullet feet, NSF	1,199.00	1,199.00
30.1	1	ea	PRE-RINSE UNIT T & S Brass Model No. B-0133-B EasyInstall Pre-Rinse Unit, wall mnt. base faucet w/spring check cart. & lever handles, 2" dia. flanges w/1/2" NPT female eccentric flanged inlets, 35-1/2"H, 15" overhang, 8-1/4" clear, 18" riser, B-0107 spray valve, B-0044-H flex s/s hose, 6" wall brkt	263.73	263.73
	1	ea	B-0155-LN Add-On Faucet, less nozzle, for pre-rinse units		
	1	ea	064X Swing Nozzle, 16" (deduct cost of standard nozzle)		
32.0	1	ea	MOP SINK BY OTHERS Model No. GC PROVIDES Mop Service Basin, by others, refer to plan		
32.1	1	ea	FAUCET T & S Brass Model No. B-1958 Service Sink Faucet, 8" inlet centers, 2-3/8" clearance from wall to center of faucet, 11-5/8" from wall to center of outlet, polished chrome plated finish, four arm handles, vacuum breaker nozzle with 3/4" garden hose thread & pail hook, 00JJ stops	99.29	99.29
34.0	1		SALAD MAKELINE ASSEMBLY N. Wasserstrom & Sons Model No. D561040100N Salad Makeline Assemby - to include these sections (items #34, 35, 37, 38 & 39): 1 ea (item 34) Corner worktable with adjustable shelf 1 ea (item 35) POS counter with Solid surface formaic top 1 ea (item 37) 138"X38"(approx dim), s/s refrigerated section with openings for 9 full size pans 1 ea (item 38) 89"X38"(approx dim), s/s refrigerated section with openings for 5 full size pans 1 ea (item 39) 156" X 36" Expedite counter w/ mitre corner	16,937.00	16,937.00

N. Wasserstrom & Sons, Inc. - OH

				10880007
Item	Qty	Description	Sell Each	Sell Total
		The complete assembly includes removable veneer covered front panels, sneeze guard with glass panels, wood toe kicks (for tiling by GC). NSF approved.  Specific design as per fabrication drawings as provided to customer.		
36.0	1	GRAB N GO N. Wasserstrom & Sons Model No. REF2180001 Grab n Go case, 54"wX44"hX34"d. Self contained open air refrigerated case. Exterior: laminate TBD, interior:white laminate side walls, s/s bottom, back and wire midshelf. 2 lights, electronic controls. 115v. 20 amp circuit required	3,346.91	3,346.91
40.0	4 ea	SHELVING, WIRE Eagle Group Model No. 2448VG Valu-Gard® Wire Shelving, 24"W x 48"L, green epoxy finish	36.65	146.60
	4 ea	P74-VG Valu-Gard® Post, 74"H, adj. foot, green epoxy finish (stationary application)		
40.0a	4 ea	SHELVING, WIRE Eagle Group Model No. 2448VG Valu-Gard® Wire Shelving, 24"W x 48"L, green epoxy finish	36.65	146.60
	4 ea	P74-VG Valu-Gard® Post, 74"H, adj. foot, green epoxy finish (stationary application)		
40.0b	4 ea	SHELVING, WIRE Eagle Group Model No. 2442VG Valu-Gard® Wire Shelving, 24"W x 42"L, green epoxy finish	33.70	134.80
	4 ea	P74-VG Valu-Gard® Post, 74"H, adj. foot, green epoxy finish (stationary application)		
40.1	4 ea	SHELVING, WIRE Eagle Group Model No. 2460VG Valu-Gard® Wire Shelving, 24"W x 60"L, green epoxy finish	43.89	175.56
	4 ea	P74-VG Valu-Gard® Post, 74"H, adj. foot, green epoxy finish (stationary application)		
40.1a	4 ea	SHELVING, WIRE Eagle Group Model No. 2460VG Valu-Gard® Wire Shelving, 24"W x 60"L, green epoxy finish	43.89	175.56
	4 ea	P74-VG Valu-Gard® Post, 74"H, adj. foot, green epoxy finish (stationary application)		
40.1b	4 ea	SHELVING, WIRE Eagle Group Model No. 2460VG Valu-Gard® Wire Shelving, 24"W x 60"L, green epoxy finish	43.89	175.56
	4 ea	P74-VG Valu-Gard® Post, 74"H, adj. foot, green epoxy finish (stationary application)		
40.1c	4 ea	SHELVING, WIRE Eagle Group Model No. 2460VG Valu-Gard® Wire Shelving, 24"W x 60"L, green epoxy finish	43.89	175.56
	4 ea	P74-VG Valu-Gard® Post, 74"H, adj. foot, green epoxy finish (stationary application)		

FEB 12,2007		Tossed - Decatur GA	F	Page 7 of 10 TOSS0007
Item	Qty	Description	Sell Each	Sell Total
40.3	1	BUN SHEET PAN RACK New Age Model No. 6331 Pan Rack, full height, open sides, with angle guides on 3" centers, capacity 20 - 18" x 26" sheet pans, all-welded aluminum construction, end loading, 5" stem casters	195.00	195.00
	1	1 year limited warranty against workmanship defects, std.		
41.0	1 ea	BY OTHERS SerVend Model No. BY OTHERS BEVERAGE DISPENSER		
42.0	1 ea	ICE MAKER, CUBE-STYLE Manitowoc Model No. SD-0422A S-Series Ice Maker, cube-style, air-cooled, self-contained condenser, up to 450-lb approximately/24 hours, stainless steel finish, dice size cubes (not stackable)	2,539.81	2,539.81
	1	3 year parts & labor warranty		
	1	5 year parts & labor warranty on evaporator		
	1	5- year parts & 3- year labor warranty on compressor		
	1	115v/60/1ph, std.		
	1 ea	AR-10000 Arctic Pure® Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge, 14,000 gal. capacity, 0-600 lbs./ice per day		
	1 cs	K-00338 Replacement Water Filter Cartridge, for AR-10000 filter, per case of 12		
44.0	1 ea	Nor-Lake Model No. CUSTOM Indoor Walk-In Cooler/Freezer Combo, Exterior Dimesions: 16" 0" x 8' 6" x 7' 7" HIGH FREEZER: Dimensions 5' x 8' 6" Floor: 110 Smooth Aluminium Interior Wall/Ceiling finish: 26ga Embossed Galvalume Refrig: 20' pre-charged lines, outdoor units - PLEASE CONFIRM COOLER: Floor: 4' Vinyl Screed, Door is cut for tile/grout 5/8" - PLEASE CONFIRM TILE HEIGHT Interior Wall/Ceiling finish: 26ga Embossed Galvalume Refrig: 20' pre-charged lines, outdoor units - PLEASE CONFIRM **** compressor is sized to meet specifications for HOLDING ALREADY cooled cooked proteins to temp*** With remote refrigeration package. Includes 5 yr compressor warranty PRICING WILL VARY DEPENDING ON FINAL DIMENSIONS - DOES NOT INCLUDE INSTALLATION	14,570.62	14,570.62
48.0	1 ea	SHELVING, WIRE Eagle Group Model No. 1430V Valu-Master™ Wire Shelving, 14"W x 30"L, pewter gray epoxy finish	46.05	46.05
	_	WELLOW III I I I I I I I I I I I I I I I I I		

2 ea WB14-C Wall Bracket, stationary, end unit, chrome for 14" shelf

FEB 12,2007		Tossed - Decatur GA	P	age 8 of 10 TOSS0007
Item	Qty	Description	Sell Each	Sell Total
48.0a	2 ea	SHELVING, WIRE Eagle Group Model No. 1436V Valu-Master™ Wire Shelving, 14"W x 36"L, pewter gray epoxy finish	47.84	95.68
	4 ea	WB14-C Wall Bracket, stationary, end unit, chrome for 14" shelf		
48.0b	2 ea	SHELVING, WIRE Eagle Group Model No. 1460V Valu-Master™ Wire Shelving, 14"W x 60"L, pewter gray epoxy finish	55.52	111.04
	4 ea	WB14-C Wall Bracket, stationary, end unit, chrome for 14" shelf		
49.0	2 ea	SHELF, WALL-MOUNTED  N. Wasserstrom & Sons Model No. CUSTOM  Shelf, wall-mounted, stainless steel, 18" wide, 96" long	270.00	540.00
		These are the s/s shelving section that run over the rear service counter, rear sandwich prep and crepe station.		
68.0	1	BEVERAGE COUNTER N. Wasserstrom & Sons Model No. D561180200N 108" X 36 x 34"H", W/ stainless steel, side and back splashes, Wood laminate body with doors, on s/s bullet feet. Counter front and sides to be FINISHED/UNFINISHED as per floor plan Laminate per Fabrication Drawings	2,005.00	2,005.00
71.0	1	SAFE CORPORATE SAFE COMPANY Model No. B2020S-SG1 SAFE,1 COMPARTMENT, CASH DROP IN TOP COMPARTMENT. OVERALL SIZE 20"HX20"W X20"D.	603.54	603.54
91.0	1	BANQUETTE SELECT SEATING GROUP INTERIORS Model No. D561760100N 282"x50"H Banquette and 1/2 wall capped with Formica Solid surface cap.	9,180.77	9,180.77
		Specifications as per Fabrication Drawings.		
		TOTAL HEIGHT with decorative glass to be 60" high		
	1 ea	NWS D561690100N Etched Glass divider with Stainless Steel Posts and clips, design TBD. To mount on 288" half wall.		
		Back and sides to be finished w/ Laminate: TBD. Corian cap: TBD. PRICE LISTED IS A GUIDE PRICE ONLY AND BASED ON MID-RANGE PRICE LAMINATE/CORIAN! ACTUAL PRICE TO BE REVISED BASED ON FINAL DIMENSTIONS AS REQUIRED.		
92.0	39 ea	CHAIR, SIDE, INDOOR Grand Rapids Chair Model No. N23 Valencia Nesting Chair, Model # N23 - Seats: Maple Wood Finish: EARTH	106.50	4,153.50

Metal vertical slat backrest,

FEB 12,2007		Tossed - Decatur GA	Р	age 9 of 10 TOSS0007
Item	Qty	Description	Sell Each	Sell Total
93.0	15 ea	A LAMINATE TABLE TOP  N. Wasserstrom & Sons Model No. CUSTOM  Laminate Tops with Laminate Edges 24" x 30". Nevamar #ES6002T  Charcoal Essence	44.44	666.60
93.1	4 ea	LAMINATE TABLE TOP  N. Wasserstrom & Sons Model No. CUSTOM  Laminate Tops with Laminate Edges 48" x 30". As per drawing specifications	72.22	288.88
94.0	15 ea	TABLE BASE SELECT SEATING GROUP INTERIORS Model No. SS2222 22"X22" BLACK WRINKLE TABLE BASE	22.67	340.05
94.1	4 ea	TABLE BASE SELECT SEATING GROUP INTERIORS Model No. SS2230 22"X30" BLACK WRINKLE TABLE BASE	27.97	111.88
95.0	19	LEVELERS J. H. Carr & Sons Model No. TABLESHOX TABLE BASE SELF LEVELERS	9.73	184.87
100.0	1 ea	A INBOUND FREIGHT AND HANDLING  N. Wasserstrom & Sons Model No. IFRT&HANDLING Inbound freight from the mfg. to the Wasserstrom warehouse. THIS IS AN ESTIMATED COST, ACTUAL COST WILL DEPEND ON LOCATION OF JOB SITE AND FINAL EQUIPMENT REQUIREMENTS	2,750.00	2,750.00
101.0	1 ea	REQUIPMENT INSTALLATION  N. Wasserstrom & Sons Model No. INSTALLATION  Non-Union Labor unless otherwise specified in this document. Estimated 4 days installation time. Installation of equipment does not include:  1. ERECTION OF WALK-IN OR CONNECTION OF REFRIGERATION - to be provided by Owner  2. ANY EQUIPMENT NOT PROVIDED BY WASSERSTROM, UNLESS OTHERWISE AGREED  3. FINAL PLUMBING, ELECTRICAL OR REFRIGERATION CONNECTIONS  4. OFF SITE TRASH REMOVAL - DUMPSTERS ARE TO BE PROVIDED BY GC OR OWNER.  THIS IS AN ESTIMATED COST, ACTUAL COST WILL DEPEND ON LOCATION OF JOB SITE AND FINAL EQUIPMENT REQUIREMENTS	3,950.00	3,950.00
108.0	1 ea	START & ADJUST  N. Wasserstrom & Sons Model No. START&ADJUST  Start & Adjust for both ice machines as per quotation.	429.00	429.00
109.0	1 ea	START & ADJUST  N. Wasserstrom & Sons Model No. START&ADJUST Start & Adjust of ice Machine and Altosham cooking unit. THIS IS AN ESTIMATED COST, ACTUAL COST WILL DEPEND ON LOCATION OF JOB SITE AND FINAL EQUIPMENT REQUIREMENTS	395.00	395.00
110.0	1 ea	R FREIGHT N. Wasserstrom & Sons Model No. OFRT&HANDLING	2,143.00	2,143.00

FEB 12,2007		Tossed - Decatur GA	Р	age 10 of 10 TOSS0007
Item	Qty	Description	Sell Each	Sell Total
		Outbound freight and handling. Truckload delivery of Job Package to Jobsite. Price quoted is per one truckload. If additional truck(s) are required for complete transport, additional charges will be incurred at th per truck rate. THIS IS AN ESTIMATED COST, ACTUAL COST WILL DEPEND ON LOCATION OF JOB SITE AND FINAL EQUIPMENT REQUIREMENTS.	e	
111.0	1 ea	FREIGHT FROM FACTORY TO JOB SITE.  N. Wasserstrom & Sons Model No. WALK-IN FREIGHT  Freight from factory to job site. Unloaded, uncrating and removal of packing trash by GC/customer.	792.75	792.75
115.0	1 ea	SALES TAX  N. Wasserstrom & Sons Model No. TAX  TBD - SALES TAX IS BASED ON STATE AND LOCAL RATES AND WILL VARY DEPENDING ON JOB SITE.		
120.0	1 ea	PRICING POLICY N. Wasserstrom & Sons Model No. PRICING The above pricing will be held firm UNTIL 22 DECEMBER 2006. Orders MUST be placed prior to that date to ensure 2006 pricing.  PRICE INCREASES may be in effect after that time.	;	
		TRIOL INORLAGES may be in ellect after that time.	Total	117,724.45
		Sales Tax (@		8,240.71

**Grand Total** 

125,965.16